

according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 1/11

SECTION 1* Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Trade name: Flusol Forte

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product category: PC35 Washing and cleaning products (including solvent based

products)

Application: Professional use only

1.3 Details of the supplier of the safety data sheet

Manufacturer / Importer / Supplier: Houweling Horticulture by

Klappolder 104 2665 LP Bleiswijk Nederland

tel +31 88 1210 400 horticulture@houweling.nl

houweling.com

Further information obtainable from: Product safety department

1.4 Emergency telephone number

During office hours: +31 88 1210 400

SECTION 2* Hazards identification

2.1 Classification of the substance or mixture

Description: Mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 2 H300 Fatal if swallowed
Acute Tox. 1 H310 Fatal in contact with skin

Skin Corr. 1A H314 Causes severe skin burns and eye damage

Eye Dam. 1 H318 Causes serious eye damage

2.2 Label elements

The product is classified and labelled according to the CLP Regulation.

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms: GHS05, GHS06





Signal word: Danger

Hazard-determining components of labelling

Hydrofluoric acid

Hazard statements

H300+H310 Fatal if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P3O3+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P405 Store locked up.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 2 / 11

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Other hazards

There is no additional information available.

Results of PBT and vPvB assessment

PBT: There is no additional information available. vPvB: There is no additional information available.

SECTION 3 Composition/information on ingredients

3.1 Chemical characterisation: Substances

Not applicable.

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below, possibly with non-hazardous additions.

Dangerous components

Component	Identification	Classification	Conc.%	Pictograms
Hydrofluoric acid	CAS: 7664-39-3	Acute Tox. 2, H300	10 - 25%	
	EINECS: 231-634-8	Acute Tox. 1, H310		
	Reg.: 01-2119458860-33	Acute Tox. 2, H330		
		Met. Corr. 1, H290		
		Skin Corr. 1A, H314		
		Eye Dam. 1, H318		

Additional information

For the wording of the listed hazard phrases see SECTION 16.

SECTION 4 First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Persons, providing assistance, should avoid exposure and danger for themselves or others.

After inhalation

Remove the victim into fresh air, and keep at rest in a position that facilitates breathing.

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

If skin irritation continues, consult a doctor.

After eye contact

Seek medical treatment immediately.

If possible, remove contact lenses.

Rinse opened eye for several minutes (>15) under running water. Then consult a doctor.

After ingestion

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

There is no additional information available.

4.3 Indication of any immediate medical attention and special treatment needed

There is no additional information available.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version date: 30/06/2020

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 3 / 11

SECTION 5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

All extinguishing media are possible.

Use fire extinguishing methods suitable to surrounding conditions.

Unsuitable extinguishing media

There is no additional information available.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

There is no additional information available.

Hazardous combustion products

Formation of toxic gases is possible during heating or in case of fire: Hydrogen fluoride (HF).

5.3 Advice for firefighters

Special precautions

There is no additional information available.

Protective equipment

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid breathing vapor and contact with eyes, skin and clothing.

Ensure adequate ventilation

For emergency responders: Use personal protection recommended in SECTION 8.

6.2 Environmental precautions

Remainder dilute with plenty of water.

Do not allow to enter sewers/surface/ground water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to SECTION 13.

Ensure adequate ventilation.

6.4 Reference to other sections

For information on safe handling: see SECTION 7.

For information on personal protection equipment: see SECTION 8.

For disposal information: see SECTION 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety procedures.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid inhalation of vapors and contact with eyes, skin and clothing.

Prevent formation of aerosols.

Information about fire and explosion protection

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage must comply with the local regulations.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version date: 30/06/2020

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 4 / 11

Requirements to be met by storerooms and tanks

Keep only in the original container tightly closed.

All hazardous products must be placed above a sump pallet.

Information about storage in one common storage facility

Do not store together with alkalis (caustic solutions).

Further information about storage conditions

Keep container tightly sealed.

7.3 Specific end use(s)

There is no additional information available.

SECTION 8* Exposure controls/personal protection

Additional information about design of technical facilities

No further data; see SECTION 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace

7664-39-3 Hydrofluoric acid		
WEL (Great Britain)	Short-term value: 2.5 mg/m³, 3 ppm	
	Long-term value: 1.5 mg/m³, 1.8 ppm	
IOELV (EU)	Short-term value: 2.5 mg/m³, 3 ppm	
	Long-term value: 1.5 mg/m³, 1.8 ppm	

DNEL

7664–39–3 Hydrofluoric acid				
Inhalative	Acute	Systemic	2,5 mg/m3	Worker
Inhalative	Long-term	Local	0,0015 mg/m3	Worker
Inhalative	Long-term	Systemic	1,5 mg/m3	Worker
Inhalative	Acute	Local	2,5 mg/m3	Worker

PNEC

7664-39-3 Hydrofluoric acid		
Fresh water	0,9 mg/l	
Marine water	0,9 mg/l	
Sewage Treatment Plant	51 mg/l	
Soil	11 mg/kg	

Additional information

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter type E.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 5 / 11

Protection of hands



Protective gloves

Use protective gloves to EN ISO 374-1.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves made of Nitrile rubber, NBR.

Thickness: 18 mil / 0.46 mm.

Penetration time of glove material

Permeation: Breakthough time > 240 min.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

observed.

Eye protection/Face protection



Tightly sealed goggles

Body protection

Protective work clothing.

Acid resistant protective clothing.

Limitation and supervision of exposure into the environment

Do not allow to enter in surface water or soil.

Risk management measures

See information of local authorities.

SECTION 9* Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Form: Liquid.

Colour: Pink.

Odour: Pungent.

Odour threshold: Not determined.

Other physical and chemical parameters

pH-value at 20 °C:

Change in condition

Melting point/freezing point: Not determined.

Initial boiling point and boiling range: > 100 °C

Flash point:

Flammability (solid, gas):

Not determined.

Ignition temperature:

Not determined.

Not determined.

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 6 / 11

Explosion limits

Lower explosion limit (LEL): Not determined.
 Upper explosion limit (UEL): Not determined.

Vapour pressure at 20 °C: 40 hPa

Density at 20 °C: 1.055 g/cm³

Relative density:

Vapour density:

Not determined.

Not determined.

Evaporation rate:

Not determined.

Solubility in/miscibility with water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity

Dynamic: Not determined.
 Kinematic: Not determined.
 Solvent content VOC (EU 1999/13/EC): Not determined.

9.2 Other information

There is no additional information available.

SECTION 10* Stability and reactivity

10.1 Reactivity

Reacts violently with bases.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

There is no additional information available.

10.5 Incompatible materials

Metals.

Strong bases.

The product affects glass and other silicon compounds.

10.6 Hazardous decomposition products

Hydrogen fluoride.

SECTION 11* Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Fatal if swallowed or in contact with skin.

LD/LC50 values relevant for classification

ATE (Acute Toxicity Estimates)		
Oral	LD50	29 mg/kg (rat)
Dermal	LD50	29 mg/kg (rabbit)

7664-39-3 Hydrofluoric acid		
Oral	LD50	6.67 mg/kg (rat)
Dermal	LD50	6.67 mg/kg (rabbit)
Inhalative	LD50/1h	1,300 ppm (rat)



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 7 / 11

Primary irritant effect

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

CMR effects (carcinogenic, mutagenic and reprotoxic)

· Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reprotoxicity

Based on available data, the classification criteria are not met.

· Specific target organ toxicity from single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity from repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12* Ecological information

12.1 Toxicity

Aquatic toxicity

7664-39-3 Hydrofluoric acid		
Bioconcentrationfactor (BCF)	53-58	
LC50/48h	>500 mg/l (Leuciscus idus)	
EC50/96h	48 mg/l (Daphnia magna)	

12.2 Persistence and degradability

There is no additional information available.

12.3 Bioaccumulative potential

There is no additional information available.

12.4 Mobility in soil

There is no additional information available.

Additional ecological information

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

There is no additional information available.

12.6 Other adverse effects

There is no additional information available.



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 8 / 11

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Must not be disposed together with household garbage. Do not allow

product to reach sewage system.

Contaminated packaging

Recommendation Disposal must be made according to official Regulations.

Recommended cleansing agents Water, if necessary together with cleansing agents.

SECTION 14* Transport information

14.1 UN-number: UN1790

14.2 UN proper shipping name: HYDROFLUORIC ACID

14.3 Transport hazard class(es):





Class: 8 Corrosive substances

14.4 Packing group:

14.5 Environmental hazards: None.

14.6 Special precautions for user: Warning: Corrosive substances

14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code: Not applicable.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN-number: UN1790

Proper shipping name: 1790 HYDROFLUORIC ACID

Particulars in the transport document: UN1790, HYDROFLUORIC ACID, 8 (6.1), II

Class: 8 Corrosive substances

Classification code: CT1
Packing group: II

Danger label(s): 8 + 6.1





Excepted quantities (EQ): E2
Limited quantities (LQ): 1L
Transport category (TC): 2
Tunnel restriction code (TRC): E
Hazard Identification No: 86

International Maritime Dangerous Goods Code (IMDG)

UN-number: UN1790

Proper shipping name: HYDROFLUORIC ACID



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 9 / 11

Particulars in the transport document: UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

Class: 8 Corrosive substances

Marine pollutant:

Packing group:

Danger label(s):

No

8 + 6.1





Excepted quantities (EQ): E2
Limited quantities (LQ): 1L

EmS: F-A,S-B

Stowage category: D

Stowage code: SW1 Protected from sources of heat.

SW2 Clear of living quarters.

Segregation group: Strong acids.

International Civil Aviation Organization (ICAO-IATA/DGR)

UN-number: UN1790

Proper shipping name: HYDROFLUORIC ACID

Particulars in the transport document: UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

Class: 8 Corrosive substances

Packing group: II

Danger label(s): 8 + 6.1





Excepted quantities (EQ): E2
Limited quantities (LQ): 0,5L

SECTION 15 Regulatory information

15.1 Safety, health and environmental Regulations/legislation specific for the substance or mixture

International Regulations

Directive 2012/18/EU

Named dangerous substances - ANNEX I

None of the ingredients are listed.

Seveso category

H1 ACUTE TOXIC

· Qualifying quantity (tonnes) for the application of lower-tier requirements

5 t

Qualifying quantity (tonnes) for the application of upper-tier requirements

20 t



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 10 / 11

Regulation (EC) No 1907/2006 - ANNEX XVII

Conditions of restriction: 3

National Regulations

· Water hazard class:

_

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16 Other information

Relevant phrases

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

Department issuing SDS

Environment protection department

Abbreviations and acronyms

Acute Tox. 1 Acute toxicity, Hazard Category 1
Acute Tox. 2 Acute toxicity, Hazard Category 2

ADN Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de

Navigation intérieures (European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways)

ADR Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS Chemical Abstracts Service (division of the American Chemical Society)

DNEL Derived No-Effect Level (REACH)
EC50 Effective Concentration, 50 percent

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances
Eye Dam. 1 Serious eye damage/eye irritation, Hazard Category 1

GHS Globally Harmonised System of Classification and Labelling of Chemicals

IATA International Air Transport Association

IMDG International Maritime Code for Dangerous Goods IOELVs Indicative Occupational Exposure Limit Values

LC50 Lethal concentration, 50 percent

LD50 Lethal dose, 50 percent

Met. Corr.1 Corrosive to metals, Hazard Category 1

OEL Occupational Exposure Limit

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted No-Effect Concentration (REACH)

RID Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

Skin Corr. 1A Skin corrosion/irritation, Hazard Category 1A

STEL Short Term Exposure Limit

VOC Volatile Organic Compounds (USA, EU) vPvB very Persistent and very Bioaccumulative

WEL Workplace Exposure Limits

References

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI). See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database. Based on Regulations - 1907/2006/EC, 272/2008/EC and directive 2012/18/EU.

Date of composition

23/02/2015

Version date



according to 1907/2006/EC, Article 31

Trade name: Flusol Forte

Version date: 30/06/2020

Version: 4 Version date: 30/06/2020 Date of composition: 23/02/2015 Page: 11/11

30/06/2020

Indication of changes

Revisions were made in sections marked with *.

Disclaimer

The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to use and handle the product with care and to comply with all applicable laws and Regulations. The supplier accepts no liability for direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein.